



VERSIONS



Icarus 3m/9'10"


POSITIONS



COLORS


PREMIUM	Alba	Roma	Taupe	Stonegray	Manderine	Red	Terra	Sunflower	Camel	Mint	Nero
	Canvas	Taupe	Granite	Orange	Paris Red	Pink	Gold	Lagoon	Olive		

DIMENSIONS




	A cm/ft	B cm/ft	C cm/ft	D cm/ft	E cm/ft	F cm/ft	G cm/ft	H cm/ft	I cm/ft	J cm/ft	K cm/ft
Icarus	245/8'1"	220/7'3"	40/1'4"	225/7'5"	190/6'3"	160/5'3"	185/6'1"	230/7'7"	420/13'10"	300/9'10"	300/9'10"

DIMENSIONS/MATERIALS SPIGOT




	A mm/inch	B mm/inch	C mm/inch	D mm/inch	E mm/inch	F mm/inch	G mm/inch
Fixed Base: In-Ground Fitting	40/1.6"	40/1.6"	3/0.12"	215/8.5"	170/6.7"	11/0.43"	490/17.3"

MATERIALS



NYLON

Self lubricating for optimal sliding ■




Fabric

- 'Premium': Olefine 190 g/m²
- 'Limited': 100% Sunbrella Acryl 270 g/m²
- For more detailed info, see spec Fabric



Glass Fiber Ribs



Aluminium

- aluminium Alloy 6060
- anodized(profiles)/powder coated (casted)





- * Designed and made in Belgium
- * 2 yrs warranty on structure
- * 3 yrs on decoloration of fabric



Storage Bag

- PU coated fabric
- Can resist a water column of 500mm/1'8"
- Easy to use thanks to zipper and auxiliary tool

	L	W	H	
	80 cm	80 cm	8.5 cm	120 kg
	2'7"	2'7"	3.3"	265 lb

High quality surface finish ■
Demountable for easy transport ■
Easy manipulation with handle ■

- As a guideline we refer to the following wind speeds
6 beaufort, 50km/h, 31mph

Tested at **TU Delft**





VERSIONS



Forward Square
■ 2.5m/8'2"
■ 3m/9'10"



Straight Square
■ 2.5m/8'2"
■ 3m/9'10"



Forward Round
■ 3m/9'10"



Straight Round
■ 3m/9'10"


POSITIONS



COLORS


PREMIUM	Alba	Roma	Taupe	Stonegray	Manderine	Red	Terra	Sunflower	Camel	Mint	Nero
	LIMITED	Canvas	Taupe	Granite	Orange	Paris Red	Pink	Gold	Lagoon	Olive	

DIMENSIONS



	A cm/ft	B cm/ft	C cm/ft	D cm/ft	E cm/ft	F cm/ft	G cm/ft	H cm/ft	I cm/ft	J cm/ft	K cm/ft	L
□ Straight 2.5m	250/8'2"	205/6'9"	195/6'5"	260/8'6"	340/11'2"	150/4'11"	190/6'3"	375/12'4"	100/3'3"	270/8'10"	n/a	90°
□ Straight 3m	300/9'10"	205/6'9"	195/6'5"	260/8'6"	350/11'6"	140/4'7"	230/7'7"	390/12'10"	80/2'8"	270/8'10"	n/a	90°
□ Forward 2.5m	250/8'2"	195/6'5"	185/6'1"	260/8'6"	340/11'2"	150/4'11"	230/7'7"	365/12'	100/3'3"	260/8'6"	65/2'2"	80°
□ Forward 3m	300/9'10"	195/6'5"	185/6'1"	260/8'6"	350/11'6"	140/4'7"	260/8'6"	380/12'6"	80/2'8"	260/8'6"	65/2'2"	80°
○ Straight 3m	300/9'10"	205/6'9"	195/6'5"	260/8'6"	350/11'6"	140/4'7"	230/7'7"	390/12'10"	80/2'8"	270/8'10"	n/a	90°
○ Forward 3m	300/9'10"	195/6'5"	185/6'1"	260/8'6"	350/11'6"	140/4'7"	260/8'6"	380/12'6"	80/2'8"	260/8'6"	65/2'2"	80°


DIMENSIONS/MATERIALS SPIGOT



	A mm/inch	B mm/inch	C mm/inch	D mm/inch	E mm/inch	F mm/inch	G mm/inch
Round support	40/1.6"	40/1.6"	3/0.12"	215/8.5"	170/6.7"	11/0.43"	490/17.3"

MATERIALS

Stainless Steel
steel Alloy AISI 304 ■




Fabric

- 'Premium': Olefine 190 g/m²
- 'Limited': 100% Sunbrella Acryl 270 g/m²
- For more detailed info, see spec Fabric




Glass Fiber Ribs



Aluminium

- aluminium Alloy 6060
- anodized(profiles)/powder coated (casted)



- * Designed and made in Belgium
- * 2 yrs warranty on structure
- * 3 yrs on decoloration of fabric

L	W	H	Weight
80 cm	80 cm	8.5 cm	120 kg
34"	34"	5"	265 lb

- High quality surface finish
- Demountable for easy transport
- Easy manipulation with handle



Storage Bag

- PU coated fabric
- Can resist a water column of 500mm/1'8"
- Easy to use thanks to zipper and auxiliary tool

- As a guideline we refer to the following wind speeds
6 beaufort, 50km/h, 31mph

Tested at **TU Delft**

